Georgia ADAP Application for Prior Approval Medications

Date of Request:

CLIENT INFORMATION:

Client Name (Last, First, M):
District/ Clinic where the client is seen:

Client/ Caregiver

- Patient is willing to take (or caregiver to administer) medications as directed. Yes No
- Patient has prior evidence of adherence to therapy and medical care; and prescriber has reasonable expectation that adherent behavior will continue. Yes No
- Patient's home has sufficient storage at the proper temperature. Yes No

DRUGS REQUESTED & REQUIRED INFORMATION:

Please complete the corresponding section for the specific drugs requested and check the appropriate boxes or supply the response/ supporting documentation.

Fuzeon (Enfuviritide)

- Current antiretroviral regimen:
- Please attach copies of the most recent viral load, CD4 count and all available resistance testing.
- Proposed optimized regimen:
- Does the client have a history of moderate to severe adverse events/ intolerances/ allergies to medications? Yes No
  - If yes, what medications?
  - Describe the reaction:
- Does the client have a history of enrollment in a recent study or Expanded Access Program? Yes No
  - If yes, please provide documentation.

If the client's regimen includes Fuzeon, Georgia ADAP recommends *completing a "Fuzeon Nurse Connections" enrollment form to arrange for a home visit from a Fuzeon Nurse Educator to help the client to become confident in their ability to reconstitute and inject Fuzeon. The form is available at www.fuzeon.com or via phone at 877-4FUZEON (877-438-9366)*

Selzentry (Maraviroc)

- Current antiretroviral regimen:
- Please attach copies of the most recent viral load, CD4 count, tropism assay test and all available resistance testing.
- Proposed optimized regimen:
- Does the client have a history of moderate to severe adverse events/ intolerances/ allergies to medications? Yes No
  - If yes, what medications?
  - Describe the reaction:

Videx (Didanosine)

- Current antiretroviral regimen:
- Length of time on current regimen:
- Reason for continuing or adding Videx to the regimen:
- Please attach copies of most recent viral load, CD4 count and all available resistance testing.

Zerit (Stavudine)

- Current antiretroviral regimen:
- Length of time on current regimen:
- Reason for continuing or adding Zerit to the regimen:
- Please attach copies of most recent viral load, CD4 count and all available resistance testing.

Please select requested regimen from the options listed below (Ribavirin will be weight based):

Harvoni (Ledipasvir-sofosbuvir)
Daklinza (Daclatasvir) plus Sovaldi (Sofosbuvir) with Ribavirin or without Ribavirin
Sovaldi (Sofosbuvir) plus Ribavirin
VIEKIRA PAK with Ribavirin or without Ribavirin
Technivie with Ribavirin or without Ribavirin
Requested Course of Therapy: 12 weeks, 16 weeks, or 24 weeks

- Client has been stable on ADAP for one (1) year. (Requirement) Yes No
- Client Weight/ Age/ Sex:
- Current antiretroviral regimen:
- List of current non-HIV medications:
- Does the client have a history of moderate to severe adverse events/ intolerances/ allergies to medications? Yes No
  - If yes, what medications?
  - Describe the reaction:
- Please attach copies of the most recent lab work: HIV viral load, CD4 count, CMP, CBC, PT/INR, pregnancy test (if woman of child bearing age), Hepatitis C antibody, Hepatitis C viral load, Hepatitis C genotype/subtype, i.e. 1a, 1b, etc.
- Hepatitis C stage: 0 1 2 3 4 compensated cirrhosis decompensated cirrhosis
  - Please check the lab performed within the last 12 months and include a copy:
    Liver biopsy FIB-4 Calculation Non-Invasive Biomarker Testing
- Please attach the client's MELD or Child-Pugh score.
- Does the client have a history of Hepatitis C treatment? Yes No
  - If yes, what treatment?
- Please include a copy of PAP denial.
- The requesting provider is asking for the State Medical Advisor to make the treatment recommendation. Yes No

PRESCRIBER INFORMATION:

Provider/Prescriber Guidelines

- Patient must have a repeat HIV viral load and CD4 counts performed 12 and 24 weeks after initiation of the regimen to assess effectiveness.
- If CD4 and/or viral load have not improved, clinical improvement (or clinically stable if condition was worsening before) must be documented for continuation of the new regimen.
- The prescriber must review the state guidelines and/or restrictions concerning the use of these medications to determine that the patient qualifies.
- The prescriber should be an experienced HIV/AIDS provider or should consult with a specialist and must have sufficient office/clinic capability to provide patient education and monitoring.
- Guidelines: http://aidsinfo.nih.gov/guidelines / https://dph.georgia.gov/nurse-protocols
- Hepatitis C Guidelines: http://www.hcvguidelines.org/
- Georgia Department of Public Health Hepatitis C Testing Tool Kit: https://dph.georgia.gov/sites/dph.georgia.gov/files/related_files/site_page/ADES_Hepatitis_C_Testing_Toolkit_for_Primary_Care_Providers_in_Georgia.pdf

Prescriber Name (Last, First, M):
Phone: Email:
Prescriber Signature:

REQUEST DETERMINATION:

Date Received: Date of Decision:

Request Approved Request Denied

Medical Advisor (Last, First, M):
Phone: Email:
Prescriber Signature:

Comments/ Additional Information or Instructions: